

Serene S4022

Serene 'Parisian' Lighted Bathroom Mirror

Operating /Installation Instructions



Introduction

Designed for easy installation, your Serene S2044 Wall Mounted Fan Lighted Mirror includes a simple to install wall mount bracket for faster and easier installation.

Safety Information

- When using any electrical appliance, safety precautions should always be observed. Read these instructions carefully, and retain for future reference. For service, contact your nearest authorised service agent.
- When used by, or near young children or infirm persons, close supervision is necessary. Young children should be supervised to ensure that they do not play with the appliance.

**Do NOT use this appliance other than for its intended use.
Use this appliance with the voltage specified on the rating label.**

- Do NOT place any object or material up against the unit.
- Regulations require that electrical work be carried out by authorised persons. For your own safety and that of others, ensure this is done.
- If the supply cord becomes damaged, it must be replaced by a qualified person in order to avoid a hazard.

Distances

Important: The mirror must NOT be located immediately below a socket outlet or within reach of a bath or shower.

Installation

Your '**Parisian**' **Lighted Mirror** is designed to be hard wired and must be installed by a qualified trades person.

To attach the heater to the wall:

- Remove the wall mounting base from the Mirror by unscrewing the knurled screw tops on the front face of the mirror enclosure to release both the base.
- Secure the mounting base to the wall keeping place the 2 long screws that secure the mounting base to the main enclosure using the fixing screw holes provided. Connect the mains cord as required.
- The base supplied with the mirror must be used when attaching the mirror to the wall. Once the base is attached to the wall thread the 2 long screws back through the holes on the front of the main housing and reattach the screw covers.
- This appliance **MUST** be installed in accordance with relevant wiring rules and regulations which cover installation of appliances and accessories in damp situations, such as bathrooms, showers, laundries and other areas with fixed water containers.

Operation

- The lighting function is controlled by the 2 position rocker switch located on the front of the wall mount bracket.
- 'Parisian' is fully adjustable both vertically and horizontally and the mirror is designed to rotate so that the flat mirror or the 3X magnifying mirror can be used.

Specifications:

Electrical

Supply 230-240 volts A.C. 50 Hz

Wattage 5-6

Wiring Permanent connection. Double insulated, no earth required.

Ingress Protection Rating **IPX20**

Dimensions

Mirror face 220 mm Diameter

Total height 360 mm



Serene Industries Limited reserves the right to alter specifications without notice.

Care

- The mirror face should be cleaned with a damp cloth or glass cleaner .
- Use a damp cloth to clean the chrome parts as needed. Do not use any abrasive cleaners.
- Ensure that the rocker switch is kept dry.

Contact

NEW ZEALAND

t: (+) 64 (3) 344 5550
f: 0800 437 264

e: nzenquiry@sereneind.com

w: www.serene-ind.com

PO BOX 33501, Barrington, Christchurch 8024

AUSTRALIA

t: + 64 (3) 344 5550
f: + 64 0800 437 264

e: auenquiry@serene-ind.com

w: www.serene-ind.com

HONG KONG

t: +852 2325 3209
f: +852 2325 3166

e: info@serene-ind.com

w: www.serene-ind.com

1010, 15F, Block A, Alexander Industrial Building, 62 King Lam Street,
Cheung Sha Wan, Kowloon Hong Kong