

# Serene Folded Towel Rack

Models FTRC and FTRS

Fits all Serene Round bar & 'Classic  
Round bar rails

## Fitting Instructions

## Introduction

**'Venice'** our folded towel rack adds sophistication and convenience to every bathroom.

Simply fits or retro-fits all **Round bar** 'Serene Classic bar rails' – 'Multi connect' and 'Superrails'.

The perfect and elegant addition to all bathrooms and ensuites in Chrome OR Stainless steel finishes.


Holds up to 5 folded large bath towels.



## Fitting

The 'Venice' rack is very simple and quick to fit to new or already installed rails.

1. Make sure that no power source is connected to the towel rail.
2. Remove the top end caps of the towel rail by unscrewing the small screw at the rear of the upright. Save the end caps for future use.
3. Push the connector interface firmly into the towel rail uprights making sure that the connector is properly located into both the rack and the towel rail.
4. Re-insert the small screws removed in **(2)** above
5. Turn on the power.



## Safety Information- For the heated Towel rail

- When using any electrical appliance, safety precautions should always be observed. Read these instructions carefully, and retain for future reference.
- When used by, or near young children or infirm persons, close supervision is necessary. Young children should be supervised to ensure that they do not play with the appliance.
- **DO NOT** use this appliance other than for its intended use.
- Use this appliance with the voltage specified on the rating label.
- Be very careful not to touch hot surfaces or moving parts.
- **DO NOT** cover the grilles or place any object or material up against the unit as this may block the entry or exhaust of airflow.
- **DO NOT** probe any opening to remove fluff. To ensure trouble-free performance, it is recommended that the unit be isolated from the power supply and a vacuum cleaner used to remove dust and fluff from the inlet and outlet grilles on a regular basis.
- Regulations require that electrical work be carried out by authorised persons. For your own safety and that of others, ensure this is done.
- **DO NOT** allow the supply cord to come into contact with heated surfaces during operation.
- If the supply cord becomes damaged, it must be replaced by a qualified person in order to avoid a hazard.

**Serene Limited reserves the right to alter specifications without notice.**

## **Contact**

### **NEW ZEALAND**

t: +64 (3) 344 5550

f: 0800 437 264

e: [nzenquiry@serene-ind.com](mailto:nzenquiry@serene-ind.com)

w: [www.serene-ind.com](http://www.serene-ind.com)

PO BOX 33501, Barrington, Christchurch 8024

### **AUSTRALIA**

e: [auenquiry@serene-ind.com](mailto:auenquiry@serene-ind.com)

w: [www.serene-ind.com](http://www.serene-ind.com)

### **HONG KONG**

t: + 852 2325 3210

f: +852 2325 3166

e: [info@serene-ind.com](mailto:info@serene-ind.com)

w: [www.serene-ind.com](http://www.serene-ind.com)

1010, 10th Floor, Block A. Alexander Industrial Building,  
Wing Hong Street, Cheung Sha Wan, Kowloon

